


ANNA

TECHNICAL SPECIFICATION


PROFILE

COMFORT: standard



- | | |
|---|---|
| 1 | polyurethane foam/ high resilient polyurethane foam |
| 2 | foam flakes with silicone balls |
| 3 | springs |
| 4 | FSC® certified solid wood and wood based elements |
| 5 | fabric |
| 6 | FSC® certified solid wood legs |

COMFORT: lux



- | | |
|---|---|
| 1 | polyurethane foam/ high resilient polyurethane foam |
| 2 | cushion chamber with feather and silicone balls |
| 3 | springs |
| 4 | FSC® certified solid wood and wood based elements |
| 5 | fabric |
| 6 | FSC® certified solid wood legs |

The producer reserves the right to change construction of products and compnents used due to improving durability of product and customer satisfaction without any further notice.


ANNA

TECHNICAL SPECIFICATION

UPHOLSTERY:

fabric: LCV - loose cover with velcro, LC - loose cover COMFORT: STD-standard or LUX

FEET



COLOURS OF WOODEN FEET

oak



bleached
oak



walnut



black





SalesPricelist 2026

UPHOLSTERY: fabric: LCV - loose cover with velcro, LC - loose cover
COMFORT: STD-standard or LUX

Currency: EUR

valid from: 01.10.2026

DIMENSION*		DESCRIPTION ARTICLE No		VOL.	WEIGHT	FABRIC USAGE	A	I	II	III	IV	E		
86x88x92/48				armchair /loose cover										
				STD	E1557-0000-6S	0.4	32.0	5.0	0	1 646	1 756	1 848	1 924	2 405
				LUX	E1557-0000-6L	0.4	32.0	5.0	0	1 646	1 756	1 848	1 924	2 405
				COVER	E0557-0000-6	0.4	32.0	5.0	0	1 646	1 756	1 848	1 924	2 405
86x88x92/48				armchair /loose cover with velcro										
				STD	E1557-0000-4S	0.4	32.0	4.4	0	1 646	1 756	1 848	1 924	2 405
				LUX	E1557-0000-4L	0.4	32.0	4.4	0	1 646	1 756	1 848	1 924	2 405
				COVER	E0557-0000-4	0.4	32.0	4.4	0	1 646	1 756	1 848	1 924	2 405

*Explicit +/- 2 cm tolerance of all elements sizes

Załączone ceny rekomendowane mają charakter sugerowanych cen sprzedaży. Kupujący nie jest związany cenami rekomendowanymi.